



A bartender's best friend
from the industry leader in
bar equipment



Glasswashers

High Temperature | Door Style | Carousel | Batch Rotary

HIGH TEMPERATURE

Model PKHT24



Model PKHT24 High Temperature Glasswasher sanitizes glasses with heat for sparkling clean glassware with no chemical taste or residue – perfect for serving wine in the most pristine glasses.

A booster heater increases the hot water temperature by 70°F, and the machine does not go into final rinse until the water is at least 180 degrees – the temperature where real sanitizing begins. It removes lipstick and other residue while using only .75 gallons of water per cycle.

This model features all stainless steel construction.

Removes even **lipstick**

DOOR STYLE

Models PKD24A & PKD24B



Perlick offers the Door Style Glasswasher with heater (PKD24A) and without (PKD24B). Model PKD24A features a built-in Hot Water Assurance System guaranteeing hot water on every cycle. It's easy to use, fast and efficient while conserving water, chemicals and energy.

Model PKD24B is built to NSF and UL/CUL sanitation and construction standards without the use of booster tank heaters. This unit incorporates a pump purging system that improves results by eliminating soil and carryover during the rinse cycle.

Both models feature all stainless steel construction.

Cleans **750** glasses/hour

Note: Some US States may require Energy Star ratings for Commercial Dishwashers. The specifier or installer is responsible for knowing their local codes, standards, and regulatory requirements.

CAROUSEL

Model PKC24



Model PKC24 Carousel Style glasswasher cleans and sanitizes up to 1,000 glasses per hour. Its double-wall construction keeps noise to a minimum. A built-in tank heater maintains the temperature of the wash water. It includes a durable Poly Pro™ conveyor, reducing chipping and breakage of glassware.

Cleans **1,000** glasses/hour

BATCH ROTARY

Model PKBR24



Model PKBR24 Batch Rotary Style glasswasher is easy-to-use and maintain. It has a convenient top-mounted instrument panel. The glassware is washed, sanitized and rinsed in removeable racks that move glasses in batches – saving handling time and broken glassware. Upper and lower spray arms incorporate fan-shaped spray nozzles that clean the entire glass both inside and out.

Cleans **720** glasses/hour

GLASSWASHER MODELS

Specifications/Features

MODEL NUMBERS	PKHT24	PKD Series	PKC24	PKBR Series
Type	High temperature	Door style	Carousel style	Rotary
Dimensions, Inches (mm)	24 (610) L x 25 (635) D x 33-1/4 (845) H	24 (610) L x 23-1/2 (590) D x 30 - 31 (762 - 782) H	25-1/4 (641) L x 25-1/8 (638) D x 39 - 40-1/2 (990 - 1028) H	24 (610) L x 248 (610) D x 39-1/4 - 40-1/4 (1001 - 1026) H
Glasses Washed per Hour	600	750	1,000	720
Construction	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Cycle Time, Seconds	120	120	120	120
Water Consumption, Gallons	1.7	1.7	3	1
Wash Pump Capacity, Gallons per Minute	38	35	28	24
Special Features	Booster heater increases hot water temperature by 70°F for the three-minute rinse cycle	Meets NSF, UL and CUL sanitation and construction standards without the use of booster or tank heaters	Poly Pro™ circular conveyor is extremely durable and reduces chipping and breakage of glassware	Upper and lower wash arms with fan-spray nozzles clean glasses inside and out
Optional Accessories	48" undercounter dishtable, stainless steel pedestal, 4-inch legs	None	None	Low sanitizer shut down kit, glass rack
Energy Star Qualified	No	No	No	No
UL-Listed	Yes	Yes	No	Yes
NSF	Yes	Yes	No	No
Warranty	One (1) year parts and labor warranty; additional second year extended parts and labor warranty also available.			

