# Ice for Workplace Hydration

#### CHEWBLET® ICE, WATER, AND SPARKLING WATER IN ONE DISPENSER



7 SERIES | 15 SERIES | SYMPHONY PLUS™



# Innovative solutions, inspired by ice

Chewblet<sup>®</sup> ice, water, and sparkling water – Follett has an ice and water dispenser solution for every hydration need.

From its beginning in 1948, Follett has led the ice industry in manufacturing quality, innovative products. Follett ice and water dispensers exclusively feature Chewblet ice, a bite-sized nugget that adds a whole new dynamic to drinks. Enjoying iced coffees, teas, and other healthful drinks has never been more fulfilling.

With over 50 models to choose from, Follett makes an ice and water dispenser for every application. Exclusive features include "install anywhere" drainless designs, countertop models that fit neatly under overhead cabinets, sanitary dispensing, and sparkling water.

When you buy a Follett dispenser, you are buying Follett's commitment to quality, durability, and unsurpassed performance. Welcome to the Evolution of Refreshment!





Chewblet ice, water, and optional sparkling water in one dispenser.





#### 7 AND 15 SERIES DISPENSERS 125 LB PER DAY OF CHEWBLET ICE



#### 7 SERIES

The 17.5" tall 7 Series is the only ice and water dispenser designed to fit under overhead cabinets. All 7 Series models feature 7 lb of ice storage in a compact footprint to provide the maximum amount of ice in a minimal space.



#### 7 SERIES UNDERCOUNTER

The 7 Series undercounter models, available in both standard height and ADA height to fit under 34" high counters, can easily replace 15" wide open bin undercounter ice machines for more sanitary dispensing of ice.



#### **15 SERIES**

15 Series ice and water dispensers are nearly identical to the 7 Series, but are slightly taller and hold 15 lb of ice in storage for higher-volume applications.

## Features and Benefits



#### **Powerful**


Efficient, air-cooled ice machine produces up to 125 lb daily of Chewblet ice



**Sparkling** Select models feature cold sparkling water in addition to cold, still water and Chewblet ice



Sanitary Capacitive touch dispenses directly into your cup to avoid contamination caused by scoop-type machines. All Follett dispensers are certified by NSF.



**Compact** Less than 15" wide and 23" deep, Follett 7 and 15 Series dispensers deliver the most ice available anywhere in such a small package



Drainless Installs anywhere a 1/4" water line can be run, eliminating the installation costs and hassles associated with drains



#### **Antimicrobial**

Key components protected with silver-based antimicrobial to inhibit growth on treated surfaces

#### Leak detection

Sensors in the base protect the machine from water leaks

#### **Sustainability**

Uses up to 50% less electricity and up to 70% less water to produce ice than similar-sized, cube-type ice machines

#### 8.5" dispense height

Fits most commonly used drinking cups and glasses

#### **Removable drip tray**

Alerts you when drip tray is full; snaps in and out easily



## Freestanding Models

Both 7 and 15 Series models are available with a matching base for additional installation flexibility (shown with optional 6" legs)



#### **Fully assembled**

Requires just two easy connections for standard plug-in 115V electric and  $\frac{1}{4}$ " water line

## Optional filtration available

Choose from a number of Follett internal or external filter options designed for ice machine use

#### **Energy efficient**

Meets the Consortium for Energy Efficiency (CEE) Tier 2 specifications for highly efficient ice machines

#### Simple cleaning procedure

Can be cleaned by anyone without the use of special tools in less than 1 hour



#### 12 SERIES

Only 16.12" wide, the 12 Series has the industry's most compact footprint for a 425 lb per day ice and water dispenser and offers 12 lb of ice storage

#### 25 & 50 SERIES

Offering 25 lb and 50 lb of ice storage to match with the 425 lb per day production for highervolume applications

#### 110 SERIES

In addition to offering 90 lb of ice storage for servicing large applications, the 110 Series, like the 25 and 50 Series, features a removable ice making module for ease of service and replacement

## Features and Benefits



**Powerful** Up to 425 lb of ice per day – over 17.5 lb per hour – of Chewblet ice production



Modular 25, 50, and 110 Series all feature removable ice modules for ease of service



Sanitary One-hand lever or SensorSAFE<sup>™</sup> infrared dispense eliminates unsanitary scooping of ice



Efficient Continuous ice making process uses less electricity and water and meets Consortium for Energy Efficiency Tier 2 specifications



**Easy to Service** Semi-automatic cleaning and sanitizing process reduces preventive maintenance time to approximately 1 hour



## Freestanding Models

All Symphony Plus<sup>™</sup> dispensers are available either as countertop models or freestanding. Freestanding units offer several filtration options with factorymounted filters conveniently located in the base.



#### Space-saving designs

The most compact footprints in the category

#### **Sizes and configurations**

Countertop and freestanding models available to fit every application from small work groups to facilities with up to 300 employees

#### Infrared SensorSAFE<sup>™</sup> or lever

Dispensing options put ice directly into your cup and avoid contamination associated with scoop-out ice machines

#### Antimicrobial

Key components protected with silver based antimicrobial to inhibit growth on treated surfaces

#### Quiet Night<sup>™</sup>

Sleep mode feature reduces ice machine cycling and energy consumption during off hours



#### **Sustainability**

Uses up to 20% less energy and up to 40% less water to produce ice than similar-sized, cube-type ice machines

#### **Filtration**

Freestanding units offer several filtration options including factory-mounted filters conveniently located in the base

#### **Automatic self-flushing**

Water system regularly expels minerals and impurities for lower maintenance costs and better-tasting ice

#### Quality

Every Follett dispenser passes rigorous testing and inspections, and is covered by the industry's best warranty and support program

## Tempo<sup>™</sup> undercounter ice machine bin

The compact 15" ice machine features an industry leading 90 lb of ice per day and 30 lb of storage capacity. Other best-inclass features include an integral drain pump, optional easy-access filter, and semi-automatic cleaning system. An all stainless steel exterior and field reversible door make this a versatile solution for applications where lots of ice is needed in

a small amount of space. Available in both standard height and ADA models.





## Ice machines and dispensers to fit every need

Follett LLC has led the industry in designing and manufacturing high quality, innovative ice storage bins, ice storage and transport systems, ice machines, ice and water dispensers, and ice and beverage dispensers for the global foodservice industry. Our continuing goal to reach 100% customer satisfaction has resulted in equipment that provides outstanding innovation and design excellence to meet the specific needs of each customer. We are dedicated to providing the most customer-oriented service in the industry.



## THE FOLLETT ADVANTAGE



## Chewblet ice

Customer-preferred Chewblet ice makes all drinks more enjoyable and promotes better hydration.



## Sparkling water

Delicious sparkling water is an option for select 7 and 15 Series dispensers.



## Filtration systems

Follett offers a complete line of filtration systems designed for use with ice and water dispensers.



## Simple maintenance

Each ice and water dispenser features a cleaning system designed to minimize the effort required to clean and sanitize the machine.



## Built to last

Industry-exclusive features include proprietary jacketed evaporator assemblies to maximize heat transfer and increase efficiency. Follett supports every product with parts availability for 10 years after product discontinuation.



### Better sanitation

Sanitary dispensing helps prevent contamination associated with scooping ice by hand. All Follett dispensers also feature antimicrobial protection in critical areas to inhibit the growth of bacteria on treated surfaces.

## Warranty and support

Industry professionals specify Follett products because of our exceptional service and support programs including factory-direct technical support, free technical seminars, and comprehensive service manuals and videos.

## 7 AND 15 SERIES DISPENSER SPECIFICATIONS



7 Series Countertop	7 Series with optional base stand	7 Series Undercounter	15 Series Countertop	15 Series with optional base stand
Chewblet nuggets	Chewblet nuggets	Chewblet nuggets	Chewblet nuggets	Chewblet nuggets
201	201	201	233	233
Up to 50	Up to 50	Up to 50	Up to 75	Up to 75
100 - 125 lb (45 - 57 kg)	100 - 125 lb (45 - 57 kg)	100 - 125 lb (45 - 57 kg)	100 - 125 lb (45 - 57 kg)	100 - 125 lb (45 - 57 kg)
7 lb (3.2 kg)	7 lb (3.2 kg)	7 lb (3.2 kg)	15 lb (6.8 kg)	15 lb (6.8 kg)
4.2 - 5.2 lb (1.9 - 2.4 kg)	4.2 - 5.2 lb (1.9 - 2.4 kg)	4.2 - 5.2 lb (1.9 - 2.4 kg)	4.2 - 5.2 lb (1.9 - 2.4 kg)	4.2 - 5.2 lb (1.9 - 2.4 kg)
Capacitive Touch	Capacitive Touch	Capacitive Touch	Capacitive Touch	Capacitive Touch
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Optional	Optional	Not Available	Optional	Optional
Standard with Sparkling Unit only	Standard with Sparkling Unit only	Not Available	Standard with Sparkling Unit only	Standard with Sparkling Unit only
Optional	Optional	Optional	Optional	Optional
14.62" (37.1 cm)	14.62" (37.1 cm)	14.62" (37.1 cm)	14.62" (37.1 cm)	14.62" (37.1 cm)
22.12" (56.2 cm)	22.12" (56.2 cm)	22.12" (56.2 cm)	23.50" (59.7 cm)	23.50" (59.7 cm)
17.62" (44.8 cm)	42.00" (106.7 cm)	33.50" (85.1 cm) 31.50" (80.0 cm) – ADA	22.50" (57.2 cm)	47.00" (119.4 cm)
5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.	5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.	5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.	5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.	5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.
1/4" MPT	1/4" MPT	1/4" MPT	1/4" MPT	1/4" MPT
None Required	None Required	None Required	None Required	None Required
Optional	Required	Not Available	Optional	Required
Optional	Optional	Not Available	Optional	Optional
Optional	Not Available	Not Available	Optional	Not Available
Optional - not available with Sparkling models	Optional - not available with Sparkling models	Optional	Optional - not available with Sparkling models	Optional - not available with Sparkling models
Optional	Optional	Optional	Optional	Optional
2 years parts and labor, 5 years compressor parts	2 years parts and labor, 5 years compressor parts	2 years parts and labor, 5 years compressor parts	2 years parts and labor, 5 years compressor parts	2 years parts and labor, 5 years compressor parts
	Chewblet nuggets   201   201   Up to 50   100 - 125 lb (45 - 57 kg)   7 lb (3.2 kg)   7 lb (3.2 kg)   Capacitive Touch   Standard   Optional   Optional   21.2 " (56.2 cm)   7.62" (44.8 cm)   Samps, 0.26 kW   Connect to dedicated   15 amp circuit, fuse, or breaker.   17.62" (400 cm)   17.62" (400 cm)   00ptional   0ptional   0pti	<b>7 Series Countertop</b> optional base standChewblet nuggetsChewblet nuggets201201201Up to 50100 - 125 lb (45 - 57 kg)100 - 125 lb (45 - 57 kg)7 lb (3.2 kg)7 lb (3.2 kg)4.2 - 5.2 lb (1.9 - 2.4 kg)4.2 - 5.2 lb (1.9 - 2.4 kg)7 lb (3.2 kg)4.2 - 5.2 lb (1.9 - 2.4 kg)6 apacitive TouchCapacitive Touch5 tandardStandard9 optionalOptional0 optionalOptional0 optionalOptional14.62" (37.1 cm)2.12" (56.2 cm)17.62" (44.8 cm)2.12" (56.2 cm)17.62" (44.8 cm)5 amps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.1/4" MPT1/4" MPTNone RequiredNone RequiredOptionalOptional0ptionalOptional100 - 125 kgSamps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.1/4" MPT1/4" MPTNone RequiredNone Required0ptionalOptional0ptionalOptional0ptionalOptional0ptionalOptional0ptionalOptional0ptional - not available with Sparkling models0ptional - not available with Sparklin	Pseries Countertop   optional base stand   Pseries Undercounter     Optional base stand   Pseries Undercounter   Pseries Undercounter     Chewblet nuggets   Chewblet nuggets   Chewblet nuggets     201   201   201     Up to 50   Up to 50   Up to 50     100 - 125 lb (45 - 57 kg)   100 - 125 lb (45 - 57 kg)     7 lb (3.2 kg)   7 lb (3.2 kg)   7 lb (3.2 kg)     4.2 - 5.2 lb (1.9 - 2.4 kg)   4.2 - 5.2 lb (1.9 - 2.4 kg)   4.2 - 5.2 lb (1.9 - 2.4 kg)     6 apacitive Touch   Capacitive Touch   Capacitive Touch     Standard   Standard   Standard     Standard   Standard with Sparkling Unit only   Not Available     Optional   Optional   Optional   Optional     Optional   Optional   Optional   Optional     17.62" (37.1 cm)   14.62" (37.1 cm)   14.62" (37.1 cm)     17.62" (44.8 cm)   21.21" (56.2 cm)   21.21" (56.2 cm)     17.62" (44.8 cm)   Samps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.   Samps, 0.26 kW Connect to dedicated 15 amp circuit, fuse, or breaker.   Samps, 0.26 kW Connect to dedicated 15 amp circu	Pseries Countertop   optional base stand   Pseries UnderCounter   Ts Series Countertop     Chewblet nuggets   Chewblet nuggets   Chewblet nuggets   Chewblet nuggets   Chewblet nuggets     201   201   201   233     100 t 550   Up to 50   Up to 50   Up to 75     100 - 125 lb (45 - 57 kg)   100 - 125 lb (45 - 57 kg)   100 - 125 lb (45 - 57 kg)     11b (3.2 kg)   7 lb (3.2 kg)   10 lb (3.2 kg)   10 lb (3.2 kg)     12 lb (2.4 kg)   12 - 5.2 lb (1.9 - 2.4 kg)   4.2 - 5.2 lb (1.9 - 2.4 kg)   12 - 5.2 lb (1.9 - 2.4 kg)     4.2 - 5.2 lb (1.9 - 2.4 kg)   4.2 - 5.2 lb (1.9 - 2.4 kg)   5 andard   Standard     5 tandard   Standard   Standard   Standard   Standard     5 tandard   Standard with Sparkling   Not Available   Optional     0 ptional   Optional   Optional   Standard with Sparkling     11 cf (2.7 (3.7 cm)   14.62" (3.7.1 cm)   14.62" (3.7.1 cm)   2.2.0" (5.7.2 cm)     2.12" (5.6.2 cm)   2.3.10" (68.1 cm)   3.50" (68.1 cm)   Samps, 0.26 kW     Connect to dedicated 15 amp circuit, fuse, or breaker.<





	Symphony Plus <sup>™</sup> 12 Series	Symphony Plus <sup>™</sup> 25 Series	Symphony Plus <sup>™</sup> 50 Series	Symphony Plus <sup>™</sup> 110 Series
ICE MAKING CAPABILITY				
Type of ice	Chewblet nuggets	Chewblet nuggets	Chewblet nuggets	Chewblet nuggets
Servings of ice (8AM to 5PM) <sup>1</sup>	611	663	763	923
Office size served	Up to 125	Up to 175	Up to 225	Up to 300
Daily ice production range	325 - 425 lb (148 - 193 kg)	325 - 425 lb (148 - 193 kg)	325 - 425 lb (148 - 193 kg)	325 - 425 lb (148 - 193 kg)
Ice storage bin capacity	12 lb (5.4 kg)	25 lb (11.4 kg)	50 lb (22.7 kg)	90 lb (40.9 kg)
Hourly ice production/ recovery rate	13.5 - 17.7 lb (6.1 - 8.0 kg)			
WATER AND ICE OPTIONS				
Method of dispensing	SensorSAFE Infrared or Mechanical Lever			
Chewblet nugget ice	Standard	Standard	Standard	Standard
Sparkling chilled water	Not Available	Not Available	Not Available	Not Available
Still chilled water	Not Available	Not Available	Not Available	Not Available
Ice-only (no water)	Optional	Optional	Optional	Optional
DIMENSIONS				
Width	16.12" (40.9 cm)	21.00" (53.3 cm)	21.00" (53.3 cm)	25.00" (63.5 cm)
Depth	23.50" (59.7 cm)	24.00" (61.0 cm)	24.00" (61.0 cm)	28.75" (71.8 cm)
Height	32.50" (82.6 cm)	36.00" (91.4 cm)	40.00" (101.6 cm)	53.00" (134.6 cm)
UTILITY CONNECTIONS				
Electrical requirements	11 amps, 0.8 kW			
Incoming water line	3/8" FPT	3/8" FPT	3/8" FPT	3/8" FPT
Drain line	3/4" MPT	3/4" MPT	3/4" MPT	3/4" MPT
ACCESSORIES				
Base stand	Optional	Optional	Optional	Optional
Base stand legs	Optional	Optional	Optional	Optional
Countertop legs	Optional	Optional	Optional	Not Available
Internal filtration	Not Available	Not Available	Not Available	Not Available
External filtration	Optional	Optional	Optional	Optional
WARRANTY				
	3 years parts and labor, 5 years compressor parts	3 years parts and labor, 5 years compressor parts	3 years parts and labor, 5 years compressor parts	3 years parts and labor, 5 years compressor parts

<sup>1</sup> Calculation depends on daily usage patterns, number of people who use ice, cup size, climate, other uses for ice (e.g., filling pitchers for meetings) and assumes 4 ounces (118 ml) of ice per cup in a 12 ounce (355 ml) cup.

# Together at last!



Cool your drinks and crunch on Follett's chewable nugget ice.



Enjoy premium sparkling water at the push of a button.







## 7 and 15 Series offer an innovative option of ice, sparkling water, and filtered still water

Whether you're serving employees and staff or distinguished guests, elevate the joy of refreshment with Follett ice and water dispensers. Only Follett offers this innovative package that is sure to win over everyone in the office. Learn more at **www.follettice.com/sparkling.** 

SATELLITE-FILL, SENSORSAFE, SYMPHONY PLUS, TEMPO, QUIET NIGHT and VISION are trademarks of Follett LLC. CHEWBLET, RIDE and FOLLETT are registered trademarks of Follett LLC, registered in the US. Follett reserves the right to change specifications at any time without obligation.



801 Church Lane | Easton, PA 18040, USA 610.252.7301 | 800.523.9361 | follettice.com